

**BDK - CONSUMER POWER TOOLS - 2023** 



CONTENTS  DRILLS	HD555	
DRILL KIT	HD555K50 6 RT18KA 6 HD555KMPR 7	
CORDLESS	BD40K27       8         BD40K27P       8         BD40K4       9         BCD001C1       10         BCD003C1       10         KC4815       11         LD12SP       11         CD121K50       12         CD121B2       12         BDCD12       13         BCRTA01       14         KC3610       14         MT218K       15         MTSA2       15	
WOOD WORKING	CS1500	
METAL WORKING	G650 18 G720R 18 G720RW 18	
SPECIALITY TOOLS	KX1800 19	)
OTHERS	BDC24L 20 BDC8 20 BC12 21 BC25 21	)
WET & DRY VACUUM CLEANER	WDBD10 / WDBD15 22 WDBDS30 22	
INFLATOR	BDCINF18N 23	3

#### HD555 - 13mm 550W VARIABLE SPEED HAMMER DRILL



#### **Specifications**

Power Input	550W
Chuck Size	13mm
Speed	0-2800 rpm
Impact Rate	0-45000 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 13mm
	Masonry - 13mm

Standard Accessories: Side Handle and Depth Gauge

#### BD65RD - 6.5mm 400W ROTARY DRILL



#### **Specifications**

Power Input	400W
Speed	0-3000 rpm
Variable Speed	Yes
Reversible	Yes
Max Drill Capacity	Wood - 10mm
	Metal - 6mm

#### **TB555 -** 10mm 550W REVERSIBLE HAMMER DRILL



Chuck Size	10mm
Speed	0-2900 rpm
Reversible	Yes
Standard Accessories : 1-Piece Drill, 1-Piece Chuck Key	

### KR5010V - 10mm 550W VARIABLE SPEED HAMMER DRILL



#### **Specifications**

Power Input	550W
Chuck Size	10mm
Speed	0-2800 rpm
Impact Rate	0-47600 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 10mm
	Masonry - 10mm

#### KR5010 - 10mm 550W SINGLE SPEED HAMMER DRILL



#### **Specifications**

Power Input	550W
Chuck Size	10mm
Speed	2800 rpm
Impact Rate	47600 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 10mm
	Masonry - 10mm

#### **KR554RE -** 13mm 550W VARIABLE SPEED HAMMER DRILL



Power Input	550W
Chuck Size	13mm
Speed	0-2800 rpm
Beats Per Minute	0-47600 bpm
Max. Torque	4.5Nm
Max. Drill Capacity	Wood- 20mm
	Steel- 13mm
	Masonry- 13mm

#### HD555K50 - 13mm 550W HAMMER DRILL KIT 50 TOOLS

**Specifications** 



Power Input	550W
No Load Speed	0-2800 rpm
Beats Per Minute	0-45000 bpm
Chuck Type	Keyed
Chuck Size	13mm
Max Drill Capacity	Wood - 20mm
	Steel - 13mm
	Masonry - 10mm
Reverse Action	Yes
Variable Speed	Yes

#### Standard Accessories:

- 550W 13mm Hammer Drill Chuck key 4 x HSS Drill Bits
- 4 x Masonry Drill Bits 5 x 50mm Screwdriving Bits

#### RT18KA - ROTARY TOOL WITH ACCESSORIES KIT BOX





#### **Specifications**

Power Input	180W
No Load Speed	0-35000 rpm

- 1x Rotary Tool 1x Base Clamp 1x Hanging Frame 1x Flexible Shaft
- 1x Collet Spanner 3x Collets: 1/8", 3/32", 1/16" 23x Cutting Discs
- 31x Sanding Disc 1x Sanding Bit 18x Sanding Pads
- 9x Polishing Discs 1x Bronze Brush 1x Radial Bronze Brush
- 1x Regular Brush 1x Regular Radial Brush 3x Diamond Bits
- 3x Multi-Purpose Bits 2x Chucks 1x Chuck for polishing pads
- 1x Rectifying Stone 10x Grinding Stone 1x Plastic Box



#### HD555KMPR - 13mm 550W HAMMER DRILL WITH KIT 100 ACCESSORIES

Specifications



Power Input	550W
Chuck Size	13mm
Chuck Type	Keyed
No Load Speed	0-2800 rpm
Blows Per Minute	0-45000 bpm
Max. Drill Capacity	Steel - 13mm
	Masonry – 13mm
	Wood- 20mm

- 550W 13mm Hammer Drill Chuck Key 1x Adjustable Wrench
- 1x6" Plier 1x Knife 1x Magnetic Bit Holder 1x Magnetic Driver
- 10x Screw Bits 5x Drill Bits for steel (2/3/4/5/6 mm)
- 5x Drill Bits for masonry (4/5/6/8/10 mm) 4x Drill Bits for Wood (4/5/6/8 mm)
   30x Screws (φ3/4/5) + 30x Wall Plugs (φ5/6/8)














#### BD40K27 - 3.6V Li-ion SCREWDRIVER WITH 27 ACCESSORIES





Specifications	
Voltage	3.6V
Motor Size	380mm
Charger Input Connection	USB 2.0
Charging Time	1.5hr (BD40K2 7)
Switch	Push Type
Chuck Size	6.35mm (1/4")
No Load Speed*	320 rpm
Battery Capacity	1.5Ah
Intelligent Torque Adjustment	43835
Max Hard/Soft Torque	5/2.5Nm
Forward/Reverse Function	YES
Self-Locking Function	YES
Battery Capacity Warning	2 LED
LED Working Light	2 LED
Charging Indicator	5 LED
Weight	0.28kg

#### Standard Accessories:

- 1 pc hand tool: precision screwdriver
- Magnetic bit to avoid screw drop
- 8 pcs precision bits for glasses/clocks repair
- 2 pcs 50mm longer bit for in-depth screw use

#### **BD40K27P -** 4V PUSH & GO SCREWDRIVER - PINK



Specifications	
Voltage	4V Max
Motor Size	380mm
Charger Input Connection	USB 2.O
Charge Time	1.5hr
Switch	Push Type
No Load Speed	320 rpm
Battery Capacity	1.5Ah
Weight	0.28kg

#### **Features**

- Magnetic bit to avoid screw drop 50mm longer screw bits
- Extra hand tool precision screwdriver and bits for repair work

#### **BD40K4 -** 3.6V Li-ion SCREWDRIVER WITH 4 ACCESSORIES





Specifications	
Voltage	3.6V
Motor Size	38mm
Charger Input Connection	USB 2.0
Charging Time	1.5hr (BD40K2 7)
Switch	Push Type
Chuck Size	6.35mm (1/ 4")
No Load Speed*	320 rpm
Battery Capacity	1.5Ah
Intelligent Torque Adjustment	43835
Max Hard/Soft Torque	5/2.5Nm
Forward/Reverse Function	YES
Self-Locking Function	YES
Battery Capacity Warning	2 LED
LED Working Light	2 LED
Charging Indicator	5 LED
Weight	0.28kg

- 1 pc hand tool: precision screwdriver
- 4 pcs precision bits for glasses/clocks repair





#### BCD001C1 - 10mm 18V DRILL DRIVER 1 GEAR



#### **Specifications** Voltage 18V Battery Type Lithium-Ion Chuck Size 10mm No Load Speed 0-600 rpm Reversible Yes . . . . . . . . . . . . . . . . Max Capacity Wood - 25mm Steel - 10mm Max. Torque 37Nm Weight 1.52kg

#### Standard Accessories:

• Drill Driver • 1.5Ah Battery • 400mA Charger

#### BCD003C1 - 10mm 18V CORDLESS HAMMER DRILL



#### **Specifications**

Voltage	18V
Battery Type	Lithium-lon
Chuck Size	10mm
Speed	0-400/1400 rpm
Reversible	Yes
Max Capacity	Wood - 25mm
	Steel - 10mm
	Masonry - 10mm
Max. Torque	46Nm

- 1x18V / 1.5Ah lithium-ion slidepack battery 400mA charger
- Bit holder LED work light

#### KC4815 - 4.8V CORDLESS Ni-Cd SCREWDRIVER



Specifications	
Voltage	4.8V
Battery Type	Ni-Cd
Max Torque	3.5Nm
Speed	0-200 rpm
Reversible	Yes
Weight	0.24kg

#### Standard Accessories:

• 1 Cordless Screwdriver • 1 Charger • 15 Bits • 1 Magnetic Bit Holder

#### LD12SP - 12V Li-ion CORDLESS DRILL DRIVER WITH INTEGRATED BATTERY



#### **Specifications**

Voltage	12V
Chuck Size	10mm
Speed	0-900 rpm
Max. Drill	Wood - 15mm
Reversible	Yes
Weight	1.35kg

- •1 x Charger 2 x Drill Bits •1 x Screwbit Adapter
- 10 x Screwdriver Bits 1 x Kit Box



#### CD121K50 - 12V CORDLESS Ni-Cd DRILL/DRIVER WITH 50 ACCESSORIES KITBOX



Specifications	
Voltage	12V
Battery Type	1.3Ah, Ni-Cd
Chuck Size	10mm
Speed	0-1200 rpm
Chuck	Keyless, 17 Positions
Reversible	Yes
Max Drill Capacity	Wood - 25mm
	Metal - 10mm

#### Standard Accessories

- 12V drill/driver 1.3Ah Ni-Cd battery pack charger 1 double ended screwdriver bit 12 titanium coated high speed drill bits
- 4 wood drill bits
   4 wood spade bits
   3-50mm screwdriver bits
   20-25mm screwdriver bits
   4 nut driver
   2 screw finders
- 1 magnetic bit holder 1 kit box

#### CD121B2 - 12V Ni-Cd CORDLESS DRILL WITH 2 BATTERIES

**Specifications** 



Voltage	12V
Battery Capacity	1.3Ah, Ni-Cd
Torque	8Nm
Chuck Size	10mm
No Load Speed	0-550 rpm
Weight	1.35kg
Charger	Charger Adapter
Output Current	450mA
Charging Time	5-7hr

- 1 Cordless Drill 2 Batteries 1 Charger 15 Drill Bits
- 1 Magnetic Bit Holder

#### **BDCD12 -** 10.8V COMPACT LITHIUM DRILL


#### **Specifications**

Voltage	10.8V
Battery Type	Lithium
Battery Capacity	1.5Ah
Speed	0-550 rpm
Torque	12.5/26Nm
Chuck Size	10mm
Weight	0.98kg
Charger	220-240V
Output Current	40mA
Charge Time	4hr



#### **Features**

- Ultra compact and lightweight ideal for use in those hard-to-reach confined areas
- LED worklight illuminates the work area when drill is in use
- Provides precise control for drilling into wood, metal, plastic and all screwdriving tasks
- Variable speed for ultimate fingertip control for all drilling and screwdriving applications
- Spring loaded battery system for quick and simple battery change and a more secure fit
- Anti slip soft grip which provides comfort when drill is in use



#### **BCRTA01-** 3.6V FURNITURE ASSEMBLY TOOL



Specifications	
Voltage	3.6V
Battery Capacity	1.5Ah
Charger Output	400mA
Charging Time	1-3hr

#### **Features**

**Specifications** 

- A screwdriver directed to users who need to assemble furniture
- Key differentiator vs. other screwdriver is its exclusive chuck, that accepts the hex keys commonly shipped in IKEA-type furniture
- · Accepts other bit types as well

#### KC3610 - 3.6V Ni-Cd SCREWDRIVER + 10 BIT SETS





Battery Type	Ni-Cd
Battery Capacity	600mAh
Voltage	3.6V
Speed	200 rpm
Torque	3Nm
Pivot	No
Weight	0.26kg
Charger	Jack Plug
Output Current	300mA
Charge Time	1-3hr

#### **Features**

- Extensive range of Black+Decker set providing a wide offering across all price points
- High value sets with the most common components to suit the average DIY' er
- Exclusive Black+Decker sets distinctive packaging and design only available under the Black+Decker brand

#### MT218K - NEXT GEN MULTIEVO 18V DRILL DRIVER



Specifications	
Voltage	18V
Amperage	1.5Amp
Colour	Black
Material	Plastic
Speed	800 rpm
Weight	1.46kg
Maximum Power	18W
Item Torque	21Nm

#### **Features**

- Removing rusty/old or damaged screws
- Driving large bolts/screws without needing a pilot hole
- Driving self tapping screws straight into metal work

#### MTSA2 - MULTI TOOL ATTACHMENT SANDER



#### **Specifications**

Voltage	14.4V
Battery Type	Lithium
Battery Capacity	1.Ah
Blade Length	13mm
Speed	0-700 rpm (drill head)
Torque	20.5Nm
Charger	400mA Adapter

#### **Features**

• Ideal for preparing wood surfaces for paint or varnish



#### **CS1500 -** 1500W CIRCULAR SAW



#### **Specifications**

Power	1500W
Blade Size	185mm
Speed	5500 rpm
Cutting Depth @ 90°	62mm
Cutting Depth @ 45°	46mm
Beveling Shoe	0-45°

#### JS20 - 400W VARIABLE SPEED JIGSAW



#### **Specifications**

Power	400W
Blade Speed	1000-3000/min
Stroke Length	18mm
Cutting Depth @ 90°	Wood - 65mm / Steel - 6mm
Sole plate tilt	0-45°

#### **Features**

- Variable speed trigger for increased control
- Tool-free blade change
- 45 degree bevel shoe capacity for angled cuts in both directions
- Built in dustblower
- Wire guard provides clear line of sight
- Accepts both U and T shank blades
- Perfect for detailed cuts, precision cuts, following curved lines and plunge cuts

#### MTJS1 - MULTI TOOL ATTACHMENT JIGSAW



#### **Specifications**

Voltage	14.4V
Battery Type	Lithium
Battery Capacity	1.5Ah
Blade Length	13mm
Speed	0-700 rpm (drill head)
Torque	20.5Nm
Charger	400mA Adapter

#### **Features**

• Straight or Curved cuts in wood, metal and plastic

#### KS700PE - 480W VARIABLE SPEED PENDULUM JIGSAW



#### **Specifications**

Power Input	480W
No load speed	0-3000 min <sup>-1</sup>
Cutting Depth	Wood - 60mm
	Steel - 5mm
	Aluminium -10mm
Bevel Cut	0-45°
Pendulum	Yes

#### **KW712 -** 650W REBATING PLANER





Power Input	650W
Speed	17000 rpm
Cutting Depth	0-2mm
Width of Cutting	82mm
Plannig Width	82mm
Rebating Depth	8mm
Blade Type	TC Reversible Blade

#### **KA400-** 1/4" 220W SHEET SANDER





Power Input	220W
Speed	15000 rpm
Excentricity	0.8mm
Orbit Diameter	1.6mm
Paper Size	114 x 114mm
Platen Size	113.5 x 109mm
Dust Extraction	Dust Bag

#### G650 - 100mm 650W SMALL ANGLE GRINDER



#### **Specifications**

Power	650W
Disc Diameter	100mm
Voltage	220-240V ~ 50/60Hz
Rate Speed	12000/min (rpm)
Spindle Size	M10
Cable Length	2m

#### **Features**

- · Powerful 650W motor
- Compact design
- Spindle Lock
- Side handle with 2 positions
- Dust seal switch with lock for continuous use

#### G720R - 100mm 820WSMALL ANGLE GRINDER



#### **Specifications**

Power Input	820W
Speed	11000 rpm
Spindle Size	M10
Spindle Lock	Yes
Lock ON/Off Switch	Yes
Switch Type	Slider

#### G720RW - 4" 100mm 820W ANGLE GRINDER




Power	820W
Disc Diameter	100mm
No Load Speed	11000 rpm
Spindle Size	M10

## **SPECIALTY TOOLS**

#### **KX1800 -** 1800W 2 SPEED HEAT GUN



Power Input	1800W
Voltage	220-240V
Style	Pistol
Two Heat Setting	300°-580°C
Airflow	500/650 L/Min
Cable Length	2m



### **BDC8 -** 8L COOLER AND WARMER

## Specifications



Volume	8L
12V (Cold /Hot Mode)	approx. 48/42W
Cooling Capacity	Approx. 15°C-18°C below ambient temperature
Warming Capacity	Approx. $50^{\circ}\text{C}$ - $60^{\circ}\text{C}$ by set point thermostat
Insulation	Polystyrene foam with 100% CFC & HCFC free
Main Plastic Material	PP+ aluminum liner
Cable Length	AC power cord 1.8m with plug

#### **BDC24L -** 24L COOLER AND WARMER



Volume	24L
220V or 100V (Cold/Hot Mode)	approx. 60/50W
12V (Cold/Hot Mode)	approx. 50/45W
Cooling Capacity	Approx. 15℃-18℃ below ambient temperature
Warming Capacity	Approx. $50^{\circ}\text{C}$ - $60^{\circ}\text{C}$ by set point thermostat
Insulation	Polystyrene foam with 100% CFC & HCFC free
Main Plastic Material	PP
Cable Length	1. AC power cord 1.8m with plug 2. DC power cord (3C) -2.0m

#### BC12 - 2/8/12Amp AUTOMATIC AND MANUAL CONTROL SMART CHARGER




Specifications	
Charging Output	12.8V
Display Mode	LED
Rated Input Voltage	AC 110-220V
Charging Display	Green LED light
Rated Output Voltage	14.8+/-0.3V
Ambient Temperature	00 to +400

### **BC25 -** 4/12/25Amp AUTOMATIC AND MANUAL CONTROL SMART CHARGER



Charging Output	12.8V
Display Mode	LED
Rated Input Voltage	AC 110-220V
Charging Display	Green LED light
Rated Output Voltage	14.8+/-0.3V
Ambient Temperature	00 to +400



## **WET & DRY VACUUM CLEANER**

#### WDBD10



Motor Power (W)	220-240V, 50/60 Hz 1200W
Vacuum Pressure (KPa)	≥15
Suction Power (W)	120
Noise (dB)	≤84
Dust Capacity (L)	10
Filtration	HEPA filter
Power Cable Length (m)	3.5
N.W. (KG)	3.1

## 10L WET & DRY VACUUM CLEANER WDBD10



With HEPA filter to capture even the smallest particles of dust, dander and other allergens Includes a variety of nozzles and brushes for a variety of vacuuming applications

Comes with removable, washable and reusable dust bag

Wheels for ease of movement

#### **WDBD15**



Motor Power (W)	220-240V, 50/60 Hz 1400W
Vacuum Pressure (KPa)	≥16
Suction Power (W)	140
Noise (dB)	≤85
Dust Capacity (L)	15
Filtration	HEPA filter
Power Cable Length (m)	5.0
N.W. (KG)	5.1

## 15L WET & DRY VACUUM CLEANER WDBD15



With HEPA filter to capture even the smallest particles of dust, dander and other allergens Includes a variety of nozzles and brushes for a variety of vacuuming applications Comes with removable, washable and reusable dust bag

Wheels for ease of movement

#### WDBDS30



#### 220-240V. Motor Power (W) 50/60 Hz 1600W Vacuum Pressure (KPa) ≥17 170 Suction Power (W) Noise (dB) ≤86 25 Dust Capacity (L) HEPA filter Filtration Power Cable Length (m) 5.0 N.W. (KG) 7.6

# 30L WET & DRY VACUUM CLEANER WDBDS30

With an impact resistant stainless steel tank for longer usage life
Washable HEPA filter is able to capture



smallest of allergen

#### **BDCINF18N - HPP INFLATOR**



#### **Features**

- All rounder preset switch for 2 operating modes, e.g. for tyres /ball (high pressure/ low volume) or for air mattresses (low pressure/high volume) and additional pumping mode.
- User friendly automatic shut off when the pre selected pressure is reached, and illuminated, easy to read digital display
- Convenient accessories storage on the device, the appropriate valves and hoses always at hand.
- Handy optimal product dimensions, lightweight and high quality rubber carry handle.

#### Accessories

Compressor 11 bar, 3 valves, without battery & charger (sold separately)



#### **DIGITAL PRESENCE**



@BlackandDeckerIndia



@blackanddeckerindia



**Black+Decker India** 



**Black+Decker India** 



www.blackanddeckerindia.com



https://www.sbdsmartorder.co.in

#### STANLEY BLACK & DECKER INDIA PVT. LTD.

28 Akemps, 3rd Main, 1st Cross, Ashwini Layout, Koramangala, Intermediate Ring Road, Bangalore - 560 047

E: sbd-customercommunications@sbdinc.com

